

REMARKS

Careful consideration has been given by the applicant to the Examiner's comments and rejection of the application, as set forth in the outstanding Office Action, and allowance of the application, as amended, is earnestly solicited.

Applicant has provided a new title for the application, which is deemed to be more descriptive and is considered to be in conformance with the Examiner's requirements.


Furthermore, applicant also enclosed a Substitute Specification, which has been revised to provide correct English grammatical usage and terminology. In this connection, the Substitute Specification is attested to by applicant's attorney as not containing any new matter, and furthermore, an additional marked-up copy of the Substitute Specification is also enclosed for the Examiner's review.

With regard to the claims, these have been amended to provide appropriate terminology and antecedent language and are deemed to fully obviate the rejection under 35 U.S.C. §112. The language has also been amended to conform with U.S. claim language terminology, rather than the British type language which has been originally employed.

Finally, applicant also encloses an Information Disclosure Statement submitting prior art that has been cited in a British Search Report, thereby fully meeting the applicant's duty to disclose any material which may be pertinent to the prosecution of the present application.

In view of the foregoing comments and amendments, which are deemed to be fully responsive to the Examiner's requirements, the early and favorable reconsideration of the application and allowance thereof by the Examiner are earnestly solicited. However, in the event that the Examiner has any queries concerning the instantly submitted Amendment, applicant's attorney respectfully requests that he be accorded the courtesy of possibly a telephone conference to discuss any matters in need of attention.

Respectfully submitted,


Leopold Presser
Registration No.: 19,827
Attorney for Applicant

Scully, Scott, Murphy & Presser
400 Garden City Plaza – Suite 300
Garden City, New York 11530
(516) 742-4343

LP:jy

Enclosures: Substitute Specification; and
 Annotated Sheet and Replacement Sheet for amending Figure 1.

IN THE DRAWINGS:

Please replace drawing sheet 1 (Figure 1) with the attached Replacement Sheet.





Fig. 1
PRIOR ART